

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	726/21,25;707/9,10;713/201.cds. and one adj time near3 (trial sample)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/24 09:26
S191	6	user near1 creat\$3 near1 password same license\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:52
S190	14	user near1 specif\$4 near1 password same license\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:51
S189	600	user near1 specif\$4 near1 password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:51
S188	7282	user with specif\$4 with password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:51
S187	22	use with specif\$4 with password and license	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:50
S186	267	use with specif\$4 with password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:50
S185	8	(sms same mms same bookmark\$3 same ("IM" instant adj messag\$4))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:33
S184	20	content same (sms and mms and bookmark\$3 and ("IM" instant adj messag\$4))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:31
S183	46	single near used same license	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:23

S182	395	single adj used	US-PGRUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:23
S181	323	single adj used	US-PGRUB; USPAT	OR	ON	2008/12/23 10:23
S180	0	single adj use!	US-PGRUB; USPAT	OR	ON	2008/12/23 10:23
S179	8	single adj use!	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:22
S178	63	(digital near rights near management "DRM") and trial and password same once	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:46
S177	324	(digital near rights near management "DRM") and trial and password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:45
S176	68	one adj time near3 (trial sample) and password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:42
S175	3246	one adj time near3 (trial sample)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:41
S174	29	one adj time near3 (use! view\$4 watch\$4) same password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:39
S173	75	one adj time near3 (use\$4 view\$4 watch \$4) same license	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:28
S172	20683	one adj time near3 (use\$4 view\$4 watch \$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:27
S171	18349	one adj time near3 use\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:27
S170	0	"limited use license"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:27

S169	8	limited near use with license	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:25
S168	27	(digital near rights near management "DRM") and trial same password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:04
S167	324	(digital near rights near management "DRM") and trial and password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:03
S166	47	license with expir\$4 same password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 09:00
S165	36	license same password same sample	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 08:58
S164	640	license same password and sample	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 08:57
S163	111	digital near rights near management and pda and license with expir\$5 and (password pwd code)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:25
S162	134	digital near rights near management and pda and license with expir\$5	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:21
S161	1078	digital near rights near management and pda and license	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:20
S160	2636	digital near rights near management and pda	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:19
S159	7523	digital near rights near management	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 17:19
S158	21	drag\$4 with folder same lock\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:05

S157	4	(restrict\$4 protect\$4 lock\$4) adj2 (further subsequent) adj display	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:02
S156	1	draft near folder with lock\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 14:00
S155	35	read near locked! and ("sms")	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:51
S154	0	read near locked! same ("sms")	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:51
S153	104	read near locked! same ("sms" video file audio "mms" \$2mail message)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:42
S152	698	read near locked!	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:42
S151	7978	read with locked!	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:42
S150	169	read near3 hid\$4 with (attribute flag)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:33
S149	1381	read near3 hid\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:32
S148	3808	read with hid\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:32
S147	28	read near2 unread same (password protect \$4 hid\$4 lock\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:23
S146	21	read near unread same (password protect \$4 hid\$4 lock\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:17

S145	2	password with "sms" with "after" with read \$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 13:11
S144	168	("sms" "mms" text email file picture video) near4 password near3 set\$4 and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:59
S143	330	("sms" "mms" text email file picture video) with password near3 set\$4 and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:59
S142	849	("sms" "mms" text email file picture video) same password near3 set\$4 and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:58
S141	16437	("sms" "mms" text email file picture video) same password and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:58
S140	72	message near2 (hidden hide) with (switch \$4 set\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:55
S139	233	message with (hidden hide) with (switch\$4 set\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:54
S138	500	message same (hidden hide) with (switch \$4 set\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:54
S137	25	"sms" same (hidden hide) with (switch\$4 set\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:53
S136	569	"sms" same (hidden hide)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:53
S135	33	first near3 display\$4 same (lock\$4 restrict \$4) with (file "mms" "sms" message \$2mail) and (portable mobile)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:47
S134	158	first near3 display\$4 same (lock\$4 restrict \$4) same (file "mms" "sms" message \$2mail) and (portable mobile)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:47

S133	854	first near3 display\$4 same (lock\$4 restrict \$4) and (portable mobile)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:47
S132	3045	first near3 display\$4 same (lock\$4 restrict \$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:46
S131	181680	first near3 display\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:46
S130	1	sms near2 preview\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:46
S129	1	sms near2 preview	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:45
S128	58	lock near2 "after" near3 display\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:42
S127	170	lock near2 "after" near3 read\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:41
S126	3098	lock with "after" with read\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:41
S125	20	"sms" with password near3 set\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:38
S124	477	"sms" and password near3 set\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:38
S123	66	"20040702" and "nam"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:17
S122	37	"sms" with password with protect\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:14

S121	563	"sms" with password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:14
S120	95	("sms" text adj message) with (lock restrict \$4 password passcode) with new	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:08
S119	3911	("sms" text adj message) with (lock restrict \$4 password passcode)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 12:08
S118	52	expir\$4 near3 (lock\$4 restrict\$4) with (file "mms" "sms" text email \$3mail)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:39
S117	284	expir\$4 near (lock\$4 restrict\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:38
S116	2443	expir\$4 with (lock\$4 restrict\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:38
S115	2	(data file information) near assemblage with (restrict lock\$3 prevent\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:36
S114	1	(data file information) near assemblage near3 (restrict lock\$3 prevent\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:35
S113	222	(data file information) near assemblage	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:35
S112	109	(data file information) adj assemblage	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:35
S111	52103	assemblage	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:35
S110	65	lock\$4 near ("sms" "mms" file) near3 clos \$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:32

S109	179	lock\$4 near ("sms" "mms" file) with clos\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:31
S108	266	lock\$4 near file same clos\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:31
S107	46	((read near2 unread) accessed!) with (lock\$4 hid\$4 restrict\$5) same ("sms" "mms" text email file picture video) same (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:27
S106	17	((read near2 unread) accessed!) near4 (lock\$4 hid\$4 restrict\$5) same ("sms" "mms" text email file picture video) same (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:24
S105	196	((read near2 unread) accessed!) near4 (lock\$4 hid\$4 restrict\$5) same ("sms" "mms" text email file picture video) and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:22
S104	546	((read near2 unread) accessed!) with (lock\$4 hid\$4 restrict\$5) same ("sms" "mms" text email file picture video) and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:22
S103	8911	((read near2 unread) accessed!) with (lock\$4 hid\$4 restrict\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 11:21
S101	63	((read with unread)) same (lock\$4 hid\$4 password passcode protect\$4 restrict\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:35
S100	2	((read near1 unread) with (lock\$4 hid\$4 password passcode protect\$4 restrict\$5) same ("sms" "mms" text email file picture video) and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:33
S99	1372	((read near1 unread) accessed!) with (lock\$4 hid\$4 password passcode protect\$4 restrict\$5) same ("sms" "mms" text email file picture video) and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:32
S98	3747	((read near1 unread) accessed!) with (lock\$4 hid\$4 password passcode protect\$4 restrict\$5) and (portable mobile "pda" palm) and (sms text email)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:31
S97	6556	((read near1 unread) accessed!) with (lock\$4 hid\$4 password passcode protect\$4 restrict\$5) and (portable mobile "pda" palm)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:30

S96	17523	((read near1 unread) accessed!) with (lock \$4 hid\$4 password passcode protect\$4 restrict\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:30
S95	41412	((read near1 unread) accessed!) same (lock\$4 hid\$4 password passcode protect \$4 restrict\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:30
S94	41444	((read with unread) accessed!) same (lock \$4 hid\$4 password passcode protect\$4 restrict\$5)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:29
S93	89	(autohid\$4 (auto automaticall\$4) adj hid \$4) and portable	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:19
S92	355	(autohid\$4 (auto automaticall\$4) adj hid \$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:19
S91	116	(autohid\$4 auto adj hid\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 09:18
S90	1	draft near1 folder same lock\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 17:23
S89	9241	draft same lock\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 17:23
S88	11	filelock	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 17:14
S87	30	sms with preview	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 17:00
S86	71	symbian and (lock\$4 hid\$4) same auto\$9	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:51
S85	42	symbian and (lock\$4 hid\$4) same auto\$7	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:50

S84	678	symbian and (lock\$4 hid\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:50
S83	2165	symbian	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:50
S82	5	tim\$4 near2 lock\$4 and hid\$4 and symbian	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:48
S81	2576	tim\$4 near2 lock\$4 and hid\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:47
S80	48324	tim\$4 near2 lock\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:47
S79	106120	tim\$4 with lock	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:45
S78	5091	timer with lock	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:45
S77	373421	timer withlock	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:45
S76	105	timer same lock same (hide restrict)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:45
S75	12075	timer same lock	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:45
S74	10	restrict\$4 adj display same password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:44
S73	1465	restrict\$4 adj display	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:43

S72	149	first adj (display\$4 view\$4) same (restrict \$4 lock\$4 hid\$4) same (protect\$4 secur\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:39
S71	560	first adj (display\$4 view\$4) same (restrict \$4 lock\$4 hid\$4) and (protect\$4 secur\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:38
S70	1092	first adj (display\$4 view\$4) same (restrict \$4 lock\$4 hid\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:37
S69	45373	first adj (display\$4 view\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:37
S68	1	10/627117	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 16:36
S67	24	change adj indicator with version	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 08:17
S66	1	change adj indicator adj file with version	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 08:17
S65	2	change adj indicator adj file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 08:16
S64	3984	change adj indicator	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 08:16
S63	25	sms near (protect\$4 lock\$4 guard\$4) and password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:37
S62	257	sms near (protect\$4 lock\$4 guard\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:36
S61	1355	sms near3 (protect\$4 lock\$4 guard\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:36

S60	1355	sms near3(protect\$4 lock\$4 guard\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:36
S59	147	sms near (protect\$4 access\$3 lock\$4 guard\$4) and password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:35
S58	739	sms near (protect\$4 access\$3 lock\$4 guard\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:35
S57	11722	sms with (protect\$4 access\$3 lock\$4 guard\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:35
S56	82	"707".clas. and lock\$3 near3 timeout	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:26
S55	426	lock\$3 near3 timeout	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:25
S54	60954	lock\$3 near3 (time timeout)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:25
S53	157	file near2 lock\$3 near3 (time timeout)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:25
S52	429	file near2 lock\$3 with (time timeout)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:25
S51	1041	file near2 lock\$3 same (time timeout)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:24
S50	37029	file near2 lock\$3 same time timeout	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:24
S49	3726	file near2 lock\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:24

S48	16	timer near2 lock\$4 same password	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:22
S47	1905	timer near2 lock\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:22
S46	8723	timer with lock\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 16:22
S45	1	"7376708".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 10:33
S44	2	"20040107213"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 10:22
S43	15	draft with \$2box same hid\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 15:35
S42	16	455/466.ccls. and (auto\$5 automatic\$5) with (protect\$4 lock\$4 hid\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:36
S41	2645	455/466.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:36
S40	0	445/466.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:35
S39	162	ams with manag\$4 same message and hid \$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:29
S38	1235	ams with manag\$4 same message	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:28
S37	2909	ams with manag\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:27

S36	180	symbian	USPAT	OR	ON	2008/06/26 13:43
S35	1414	symbian and \$4lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:34
S34	1917	symbian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:28
S33	1	mumams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:28
S32	0	nokia and mumams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:27
S31	36690	nokia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:27
S30	209	autolock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:14
S29	41	memory adj match\$4 same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 08:49
S28	3073	memory adj match\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 08:49

12/ 24/ 2008 9:33:11 AM

C:\Documents and Settings\rtimblin\My Documents\EAST\Workspaces\10627117 Portable Device access rights.wsp